


Put
a
little
magic
into
your
pan
washing



For outstanding, powerful, efficient and
economical pan washing

Model PT 10
Model PT 14






UTILITY RACKS

These stainless steel utility racks are sturdy and reliable, and are built to withstand the day to day operations.

Available Racks:

- Bun/Sheet Pan Rack
- Cake Pan Rack
- Utensil Basket w/hold down lid

Special racks can be built upon customer request.



ELECTRICAL CONTROL PANEL

Our stainless steel, UL approved control panel is dependable and accessible. Using breakers and a limited number of fuses allows nearly trouble-free operation. Available with 208, 230, 460V-3 phase or single phase.



POWER VENTING

Remove steam from your washer quickly and efficiently before it enters your work area. With the 100 CFM Tjernlund Fan or the 700 CFM American Fan, it is sure to work for you.

**We Service
What We Sell !**

SPECIFICATIONS

MODEL PT10

- Wash Cap:** 10 pans, Utensils or 140 qt. bowl
Pump: 7 1/2 H.P. 208, 230, 460V, 60 cycle 3 phase - recirculates app. 140 G.P.M. 50-60 PSI at the nozzles.
Timers: Wash, delay, rinse - all adjustable
Electrical Components: U.L. approved
Wash Tank: 30 gal. cap. - electric, steam, or gas
Construction: 12 and 14 G.A. Stainless Steel
Dimensions: W - 33" without drainboards, 97" with drainboards, D - 43", H - 82" (2 1/2" lower on electric): Height with door open 106". Door opening W - 28 1/2", H - 30"
Rinse Water: Boosts 120° water to 180°-195° rinse water.

MODEL PT14

- Wash Cap:** 14 pans, Utensils or 140 qt. bowl
Pump: 10 H.P. 208, 230, 460V, 60 cycle 3 phase - recirculates app. 240 G.P.M. 50-60 PSI at the nozzles.
Timers: Wash, delay, rinse - all adjustable
Electrical Components: U.L. approved
Wash Tank: 40 gal. cap. - electric, steam, or gas
Construction: 12 and 14 G.A. Stainless Steel
Dimensions: W - 33" without drainboards, 97" with drainboards, D - 43", H - 82". Height with door open 106". Door opening W - 28 1/2", H - 30"
Rinse Water: Boosts 120° water to 180°-195° rinse water.


ACCESSORIES

MODELS: PT10
PT14

- * Power venting - 100 CFM Tjernlund Fan or 700 CFM American Fan.
- * Racks - Bun Pan, Cake Pan or Utensil Basket.
- * Automatic fill


DIMENSIONS & SPECIFICATIONS

MODEL PT 10



NOTE: Dimensions Marked with * are 2-1/2" lower on electric heated machines

MODEL PT 14



NOTE: Dimensions Marked with * are 2-1/2" lower on electric heated machines

LVO MANUFACTURING INC.

P.O. Box 188, 808 N 2nd Avenue E
 Rock Rapids Iowa 51246
 Phone: 712/472-3734 or 712/472-3735
 Toll Free 1-800-346-5749
 Fax 712-472-2203

