

PROOF BOXES

OUR PROOFER SYSTEMS ARE DESIGNED TO MAKE BAKING EASIER

CONSTRUCTION

Walls and ceilings are constructed of aluminum sheet, and are pre-insulated with moisture resistant, flame retardent insulation. Wall and ceiling panels are attached to an extruded aluminum framework to form a rigid, durable, long-lasting cabinet.

All catches, latches and hinges are heavy-duty, die-cast aluminum.

Door location, number of doors, and door swing can be designed to suit the customer's needs.

AIR CONDITIONING

The air conditioner is constructed of stainless steel with copper and brass fittings.

The air conditioner has a self-contained air cleaning and water filtering system to resist corrosion and help keep the cabinet clean and fresh.

Controlled air circulation introduces hot, humid air below the product being proofed. This air gently circulates throughout the cabinet and returns to the air conditioner to be cleaned and recycled.



CONTROLS

The operator may select any desired relative humidity in any temperature range up to 120° F by simply adjusting a heat thermostat and a humidity thermostat.

Standard finish is white with stainless steel trim. Exterior can be painted any color desired.

STANDARD FEATURES

- Front bumper on each door
- All aluminum construction
- Safety inside escape latch
- Inside guide rails to direct racks
- Stainless steel air conditioner with easy access to spray chamber
- Lighted interior
- Expanded polystyrene insulation
- Removable condensate eliminator, spray nozzle, and water filter cartridge
- Mounted hygrometer for accurate humidity readings



SIZING

Standard proof boxes will have an inside clearance of 32 inches wide by 84 inches deep by 78 inches high for each rack. For example, a three rack proof box will have three spaces 32 inches wide by 84 inches deep. Reed proof boxes are designed with extra clearance to allow for most all types and sizes of roll-in racks.

Steam or electric operation is available on one rack through six rack proof boxes. Seven rack or larger proof boxes are available in steam operation only.